Atty Dkt. No.: AERX075CON

USSN: 10/804,765

## IN THE CLAIMS

Cancel claims 1-13 without prejudice to renewal.

Please enter new claims 14-24, as shown below.

## 1.-13. (Canceled)

- 14. (New) A method of producing a porous film, the method comprising the steps of:
  - a) laminating a thick film onto a thin film, forming a laminate having a thick film side and a thin film side;
  - b) placing said laminate onto a porous sheet such that said laminate is in contact with a first surface of said porous sheet;
  - c) applying a vacuum to a second surface opposite said first surface of said porous sheet, thereby holding said laminate onto said first surface; and
  - d) directing laser energy onto the thin film of the laminate until the laser has created a plurality of pores in the thin film.
- 15. (New) The method of claim 14, wherein at least about 90% of the pores are complete.
- 16. (New) The method of claim 14, wherein the thin film has a thickness in the range of about 10  $\mu m$  to about 100  $\mu m$ .
- 17. (New) The method of claim 14, wherein the thick film has a thickness in the range of about 25  $\mu m$  to about 200  $\mu m$ .
  - 18. (New) The method of claim 14, wherein said porous sheet is ceramic.
- 19. (New) The method of claim 14, wherein said porous sheet is a metal material containing pores.

Atty Dkt. No.: AERX075CON

USSN: 10/804,765

20. (New) The method of claim 14, wherein the laser source is a UV excimer laser having a wavelength of 308 nm.

- 21. (New) The method of claim 20, wherein the excimer energy density is from about 525 to about 725 mJ/cm<sup>2</sup>.
- 22. (New) The method of claim 14, wherein the laser source is a neodymium-yttrium aluminum garnet laser providing a beam having a wavelength of 355 nm.
- 23. (New) The method of claim 14, wherein from about 0.1 to about 10 mW of power is provided by said laser.
- 24. (New) The method of claim 14, wherein the porous film is comprised of a material selected from the group consisting of polycarbonates, polyimides, polyethers, polyether imides, polyethylene and polyesters.